## **Cache Memories**


CS140 – Assembly Language and Computer Organization

#### Slides by:


Randal E. Bryant and David R. O'Hallaron

# **Today**

- Cache memory organization and operation
- Performance impact of caches
  - The memory mountain
  - Rearranging loops to improve spatial locality
  - Using blocking to improve temporal locality




# **General Cache Concept**





### **Cache Memories**

- Cache memories are small, fast SRAM-based memories managed automatically in hardware
  - Hold frequently accessed blocks of main memory
- CPU looks first for data in cache
- Typical system structure:




# General Cache Organization (S, E, B)






# **Example: Direct Mapped Cache (E = 1)**

Direct mapped: One line per set Assume: cache block size 8 bytes




# **Example: Direct Mapped Cache (E = 1)**

Direct mapped: One line per set Assume: cache block size 8 bytes



## **Example: Direct Mapped Cache (E = 1)**

Direct mapped: One line per set Assume: cache block size 8 bytes



If tag doesn't match: old line is evicted and replaced

# **Direct-Mapped Cache Simulation**

t=1	s=2	b=1
Х	XX	X

M=16 bytes (4-bit addresses), B=2 bytes/block, S=4 sets, E=1 Blocks/set


Address trace (reads, one byte per read):

0	$[0000_{2}],$	miss
1	[0 <u>00</u> 1 <sub>2</sub> ],	hit
7	$[0\overline{11}1_{2}],$	miss
8	$[1000_{2}],$	miss
0	[0000]	miss

	V	Tag	Block
Set 0	1	0	M[0-1]
Set 1			
Set 2			
Set 3	1	0	M[6-7]


# E-way Set Associative Cache (Here: E = 2)

E = 2: Two lines per set




# E-way Set Associative Cache (Here: E = 2)

E = 2: Two lines per set



## E-way Set Associative Cache (Here: E = 2)

E = 2: Two lines per set



#### No match:

- One line in set is selected for eviction and replacement
- Replacement policies: random, least recently used (LRU), ...

# 2-Way Set Associative Cache Simulation

t=2	s=1	b=1
XX	X	Х

M=16 byte addresses, B=2 bytes/block, S=2 sets, E=2 blocks/set

Address trace (reads, one byte per read):

0	$[00\underline{0}0_{2}],$	miss
1	$[0001_{2}],$	hit
7	$[01\underline{1}1_2],$	miss
8	$[10\underline{0}0_{2}],$	miss
0	[00002]	hit

	V	Tag	Block
Set 0	1	00	M[0-1]
	1	10	M[8-9]
Set 1	1	01	M[6-7]
	0		

### What about writes?

#### Multiple copies of data exist:

L1, L2, L3, Main Memory, Disk

#### What to do on a write-hit?

- Write-through (write immediately to memory)
- Write-back (defer write to memory until replacement of line)
  - Need a dirty bit (line different from memory or not)

#### What to do on a write-miss?


- Write-allocate (load into cache, update line in cache)
  - Good if more writes to the location follow
- No-write-allocate (writes straight to memory, does not load into cache)

#### Typical

- Write-through + No-write-allocate
- Write-back + Write-allocate

# **Intel Core i7 Cache Hierarchy**

#### Processor package



#### L1 i-cache and d-cache:

32 KB, 8-way, Access: 4 cycles

#### L2 unified cache:

256 KB, 8-way, Access: 10 cycles

#### L3 unified cache:

8 MB, 16-way, Access: 40-75 cycles

Block size: 64 bytes for

all caches.

## **Cache Performance Metrics**

#### Miss Rate

- Fraction of memory references not found in cache (misses / accesses)
   = 1 hit rate
- Typical numbers (in percentages):
  - 3-10% for L1
  - can be quite small (e.g., < 1%) for L2, depending on size, etc.</li>

#### Hit Time

- Time to deliver a line in the cache to the processor
  - includes time to determine whether the line is in the cache
- Typical numbers:
  - 4 clock cycle for L1
  - 10 clock cycles for L2

#### Miss Penalty

- Additional time required because of a miss
  - typically 50-200 cycles for main memory (Trend: increasing!)

## Let's think about those numbers

- Huge difference between a hit and a miss
  - Could be 100x, if just L1 and main memory
- Would you believe 99% hits is twice as good as 97%?
  - Consider: cache hit time of 1 cycle miss penalty of 100 cycles
  - Average access time:

97% hits: 1 cycle + 0.03 \* 100 cycles = 4 cycles

99% hits: 1 cycle + 0.01 \* 100 cycles = 2 cycles

■ This is why "miss rate" is used instead of "hit rate"

## **Writing Cache Friendly Code**

- Make the common case go fast
  - Focus on the inner loops of the core functions
- Minimize the misses in the inner loops
  - Repeated references to variables are good (temporal locality)
  - Stride-1 reference patterns are good (spatial locality)

Key idea: Our qualitative notion of locality is quantified through our understanding of cache memories

# **Today**

- Cache organization and operation
- Performance impact of caches
  - The memory mountain
  - Rearranging loops to improve spatial locality
  - Using blocking to improve temporal locality

## **The Memory Mountain**

- Read throughput (read bandwidth)
  - Number of bytes read from memory per second (MB/s)
- Memory mountain: Measured read throughput as a function of spatial and temporal locality.
  - Compact way to characterize memory system performance.

## **Memory Mountain Test Function**

```
long data[MAXELEMS]; /* Global array to traverse */
/* test - Iterate over first "elems" elements of
      array "data" with stride of "stride", using
      using 4x4 loop unrolling.
*/
int test(int elems, int stride) {
  long i, sx2=stride*2, sx3=stride*3, sx4=stride*4;
  long acc0 = 0, acc1 = 0, acc2 = 0, acc3 = 0;
  long length = elems, limit = length - sx4;
  /* Combine 4 elements at a time */
  for (i = 0; i < limit; i += sx4) {
    acc0 = acc0 + data[i];
    acc1 = acc1 + data[i+stride];
    acc2 = acc2 + data[i+sx2];
    acc3 = acc3 + data[i+sx3];
  /* Finish any remaining elements */
  for (; i < length; i++) {
    acc0 = acc0 + data[i];
  return ((acc0 + acc1) + (acc2 + acc3));
                                        mountain/mountain.c
```

Call test() with many combinations of elems and stride.


For each elems and stride:

- 1. Call test() once to warm up the caches.
- 2. Call test()
  again and measure
  the read
  throughput(MB/s)

Core i7 Haswell

2.1 GHz

# **The Memory Mountain**



# **Today**

- Cache organization and operation
- Performance impact of caches
  - The memory mountain
  - Rearranging loops to improve spatial locality
  - Using blocking to improve temporal locality

## **Matrix Multiplication Example**

#### Description:

- Multiply N x N matrices
- Matrix elements are doubles (8 bytes)
- O(N³) total operations
- N reads per source element
- N values summed per destination
  - but may be able to hold in register


# Miss Rate Analysis for Matrix Multiply

#### Assume:

- Block size = 32B (big enough for four doubles)
- Matrix dimension (N) is very large
  - Approximate 1/N as 0.0
- Cache is not even big enough to hold multiple rows

#### Analysis Method:

Look at access pattern of inner loop



# Layout of C Arrays in Memory (review)

- C arrays allocated in row-major order
  - each row in contiguous memory locations
- Stepping through columns in one row:

```
for (i = 0; i < N; i++)
sum += a[0][i];</pre>
```

- accesses successive elements
- if block size (B) > sizeof(a<sub>ii</sub>) bytes, exploit spatial locality
  - miss rate = sizeof(a<sub>ii</sub>) / B

#### Stepping through rows in one column:

```
for (i = 0; i < n; i++)
sum += a[i][0];</pre>
```

- accesses distant elements
- no spatial locality!
  - miss rate = 1 (i.e. 100%)

# Matrix Multiplication (ijk)

```
/* ijk */
for (i=0; i<n; i++) {
  for (j=0; j<n; j++) {
    sum = 0.0;
    for (k=0; k<n; k++)
        sum += a[i][k] * b[k][j];
    c[i][j] = sum;
  }
}
    matmult/mm.c</pre>
```

```
Inner loop:

(*,j)

(i,*)

B

C

†

Row-wise Column-
wise
```


#### Misses per inner loop iteration:

<u>A</u> <u>B</u> <u>C</u> 0.25 1.0 0.0

# **Matrix Multiplication (jik)**

```
/* jik */
for (j=0; j<n; j++) {
  for (i=0; i<n; i++) {
    sum = 0.0;
    for (k=0; k<n; k++)
        sum += a[i][k] * b[k][j];
    c[i][j] = sum
  }
}
    matmult/mm.c</pre>
```

#### Inner loop:



#### Misses per inner loop iteration:

<u>A</u>	<u>B</u>	<u>C</u>	
0.25	1.0	0.0	

## **Matrix Multiplication (kij)**

```
/* kij */
for (k=0; k<n; k++) {
  for (i=0; i<n; i++) {
    r = a[i][k];
    for (j=0; j<n; j++)
        c[i][j] += r * b[k][j];
  }
}
matmult/mm.c</pre>
```

# Inner loop: (i,k) A B C T Fixed Row-wise Row-wise

#### Misses per inner loop iteration:

<u>A</u> <u>B</u> <u>C</u> 0.0 0.25 0.25

# **Matrix Multiplication (ikj)**

```
/* ikj */
for (i=0; i<n; i++) {
  for (k=0; k<n; k++) {
    r = a[i][k];
    for (j=0; j<n; j++)
        c[i][j] += r * b[k][j];
  }
}
matmult/mm.c</pre>
```


# Inner loop: (i,k) A B C ↑ Fixed Row-wise Row-wise Row-wise

#### Misses per inner loop iteration:

<u>A</u> <u>B</u> <u>C</u> 0.0 0.25 0.25

## **Matrix Multiplication (jki)**

```
/* jki */
for (j=0; j<n; j++) {
  for (k=0; k<n; k++) {
    r = b[k][j];
    for (i=0; i<n; i++)
        c[i][j] += a[i][k] * r;
  }
}
matmult/mm.c</pre>
```




#### Misses per inner loop iteration:

<u>A</u> <u>B</u> <u>C</u> 1.0 0.0 1.0

# Matrix Multiplication (kji)

```
/* kji */
for (k=0; k<n; k++) {
  for (j=0; j<n; j++) {
    r = b[k][j];
    for (i=0; i<n; i++)
        c[i][j] += a[i][k] * r;
  }
}
    matmult/mm.c</pre>
```



#### Misses per inner loop iteration:

<u>A</u> <u>B</u> <u>C</u> 1.0 0.0 1.0

35

## **Summary of Matrix Multiplication**

```
for (i=0; i<n; i++) {
  for (j=0; j<n; j++) {
    sum = 0.0;
  for (k=0; k<n; k++)
    sum += a[i][k] * b[k][j];
  c[i][j] = sum;
}
</pre>
```

```
for (k=0; k<n; k++) {
  for (i=0; i<n; i++) {
    r = a[i][k];
  for (j=0; j<n; j++)
    c[i][j] += r * b[k][j];
  }
}</pre>
```

```
for (j=0; j<n; j++) {
  for (k=0; k<n; k++) {
    r = b[k][j];
  for (i=0; i<n; i++)
    c[i][j] += a[i][k] * r;
}
</pre>
```

#### ijk (& jik):

- 2 loads, 0 stores
- misses/iter = **1.25**


#### kij (& ikj):

- 2 loads, 1 store
- misses/iter = **0.5**

#### jki (& kji):

- 2 loads, 1 store
- misses/iter = **2.0**


# **Core i7 Matrix Multiply Performance**



# **Today**

- Cache organization and operation
- Performance impact of caches
  - The memory mountain
  - Rearranging loops to improve spatial locality
  - Using blocking to improve temporal locality

## **Example: Matrix Multiplication**



n

## **Cache Miss Analysis**


#### Assume:

- Matrix elements are doubles
- Cache block = 8 doubles
- Cache size C << n (much smaller than n)</li>

#### First iteration:

• n/8 + n = 9n/8 misses

Afterwards in cache: (schematic)



n


# **Cache Miss Analysis**

#### Assume:

- Matrix elements are doubles
- Cache block = 8 doubles
- Cache size C << n (much smaller than n)</li>

#### Second iteration:

Again: n/8 + n = 9n/8 misses




#### Total misses:

41

## **Blocked Matrix Multiplication**

```
c = (double *) calloc(sizeof(double), n*n);
/* Multiply n x n matrices a and b */
void mmm(double *a, double *b, double *c, int n) {
    int i, j, k;
    for (i = 0; i < n; i+=B)
       for (j = 0; j < n; j+=B)
             for (k = 0; k < n; k+=B)
                /* B x B mini matrix multiplications */
                  for (i1 = i; i1 < i+B; i++)
                      for (j1 = j; j1 < j+B; j++)
                          for (k1 = k; k1 < k+B; k++)
                             c[i1*n+j1] += a[i1*n + k1]*b[k1*n + j1];
                                                         matmult/bmm.c
```



n/B blocks

42


## **Cache Miss Analysis**


#### Assume:


- Cache block = 8 doubles
- Cache size C << n (much smaller than n)</li>
- Three blocks fit into cache: 3B<sup>2</sup> < C</p>

#### First (block) iteration:

- B<sup>2</sup>/8 misses for each block
- 2n/B \* B²/8 = nB/4 (omitting matrix c)







n/B blocks


## **Cache Miss Analysis**

#### Assume:

- Cache block = 8 doubles
- Cache size C << n (much smaller than n)</li>
- Three blocks fit into cache: 3B<sup>2</sup> < C</p>

#### Second (block) iteration:

- Same as first iteration
- 2n/B \* B<sup>2</sup>/8 = nB/4



#### Total misses:

•  $nB/4 * (n/B)^2 = n^3/(4B)$ 

# **Blocking Summary**

- No blocking: (9/8) \* n<sup>3</sup>
- Blocking: 1/(4B) \* n<sup>3</sup>
- Suggest largest possible block size B, but limit 3B<sup>2</sup> < C!
- Reason for dramatic difference:
  - Matrix multiplication has inherent temporal locality:
    - Input data: 3n<sup>2</sup>, computation 2n<sup>3</sup>
    - Every array elements used O(n) times!
  - But program has to be written properly

# **Cache Summary**

Cache memories can have significant performance impact

- You can write your programs to exploit this!
  - Focus on the inner loops, where bulk of computations and memory accesses occur.
  - Try to maximize spatial locality by reading data objects with sequentially with stride 1.
  - Try to maximize temporal locality by using a data object as often as possible once it's read from memory.